

The professional's choice in affordable quality



Specialist tools for New Zealand's horticulture and viticulture industry



# 3103A Rotating Handle Alloy Secateurs

**Features** fatigue-reducing lower rotating handle.

**Upper Blade** superior Japanese SK5 steel, heat-treated, precision-ground (replaceable).

**Lower Blade** high-carbon S50C steel. Resin spill groove. Chrome-plated finish.

Overall Size & Weight 215mm; 294gms.

Effective Opening & Cutting adjustable 30≈47mm; 15≈23mm.

**Body & Handle** drop-forged alloy body and handles, with PVC grips. Balanced rotating lower handle. Two position locking lever.

**Replacement Parts** top blade, spring, pivot bolt assembly, buffer.

# 3103A-4 Forward-Cutting Alloy Secateurs

**Features** forward-cutting design for vine work – similar to leading European brands.

**Upper Blade** superior Japanese SK5 steel, heat-treated, precision-ground (replaceable).

**Lower Blade** high-carbon S50C steel. Resin spill groove. Chrome-plated finish.

Overall Size & Weight 215mm; 250gms.

**Effective Opening & Cutting** adjustable 30≈47mm; 15≈23mm.

**Body & Handle** drop-forged alloy body and handles, with PVC grips. Two position locking lever.

**Replacement Parts** top blade, spring, pivot bolt assembly, buffer.

### 3169A-1 PVC Heavy-Duty Alloy Secateurs

**Features** heavy-duty, ergonomic design. PVC dipped handles.

**Upper Blade** superior Japanese SK5 steel. Heat-treated, precision-ground, non-stick black finish (replaceable).

**Lower Blade** high-carbon S50C steel. Resin spill groove. Chrome-plated finish.

Overall Size & Weight 215mm, 250gms (small);

**Effective Opening & Cutting** 45mm / 20mm (small);

**Body & Handle** drop-forged alloy body and ergonomic handles. Steel locking pin.

**Replacement Parts** top blade, spring, pivot bolt assembly, buffer.

### 3170-1 Thumb-Lock Alloy Secateurs

**Features** squeeze to release thumb-lock latch. Lightweight mid-size design.

**Upper Blade** superior Japanese SK5 steel, heat-treated, precision-ground (replaceable).

**Lower Blade** high-carbon S50C steel. Resin spill groove. Chrome-plated finish.

Overall Size & Weight 205mm; 198gms.

**Effective Opening & Cutting** 47mm; 23mm.

**Body & Handle** drop-forged alloy body and handles, with PVC grips. Thumb-latch lock.

**Replacement Parts** top blade, spring, pivot bolt assembly, buffer.



# PILJV8-GS Grafting Shears \*indent orders only

**Features** professional grafting shears with extended razor knife blade. Ideal for mass production grafting.

**Upper Blade** precision honed, razor finish, hi-carbon steel, chrome-plated. Blade cutting length 55mm.

**Lower Blade** drop-forged cast steel, precision ground, chrome plated.

Overall Size & Weight 190mm; 210gms.

**Effective Opening & Cutting** 28mm, 5-20mm living wood.

**Body & Handle** cast steel handles, PVC coated grip. Rear handle heavy-duty safety lock.

**Replacement Parts** top blade, spring.



**Features** multi-function cut and slice blades. Ideal for grafting of tree lines. Angle cut, dice, slice, wedge, split, trim and cut.

**Upper Blade** two precision, hi-carbon steel blades, 45mm.

**Lower Blade** two precision, hi-carbon steel blades, 60mm.

Overall Size & Weight 240mm; 362gms.

Effective Opening & Cutting 40mm; 10≈15mm.

**Body & Handle** drop-forged cast aluminium, PVC grip. Thumb safety lock.

**Replacement Parts** spare blades, spring, pivot bolt assembly.

### 3505S-/SS Stainless Steel Fruit Picking Snips

**Features** lightweight and durable.

**Upper Blade** precision-ground 420 knife grade stainless steel.

**Lower Blade** 'serrated' precision-ground 420 knife grade stainless steel.

Overall Size, Blade Length & Weight 185mm; 45mm (blade length); 116qms.

**Effective Opening & Cutting** 40mm / 10mm living wood.

**Body & Handle** Adjustable Screw, solid steel centre pivot bush. Pressed H.T. Steel handles. PVC Dipped. Safety Lock and Anti-Drop finger hold.

**Replacement Parts** spring, safety lock & finger hold.



**Features** designed for high speed close-proximity use, when secateurs are not strong enough.

**Upper Blade** precision-ground Japanese SK5 steel, razor edge sharpened.

**Lower Blade** serrated grip, mid-carbon S55C, precisionground. Hardened & tempered. Hard chrome-plated.

Overall Size & Weight 400mm; 495gms.

**Effective Opening & Cutting** 45mm; cuts 5≈20mm living wood.

**Body & Handle** Oval heat treated 6061-T4 aluminium fluted tubing with comfort grips.

**Replacement Parts** top blade, buffers.



### PIL705-1NYL Nylon Handle Secateurs.

**Features** improved fibre glass reinforced polymer handles with finger grips.

**Upper Blade** superior Japanese SK5 steel, heat-treated, precision-ground (replaceable).

**Lower Blade** high-carbon S50C steel. Resin spill groove. Heat-treated finish.

Overall Size & Weight 210mm, 237gms (small)

**Effective Opening & Cutting** 45mm / 20mm (small).

**Body & Handle** molded from fibreglass reinforced polymer, molded finger grips for better grip. Steel locking pin.

**Replacement Parts** top blade, spring, pivot bolt assembly, buffer.

# 3750-1 BP Sure-Grip Secateurs TRP 'Sure-Grip' Inserts

**Features** economical, professional, heavy-duty precision pruning.

**Upper Blade** precision-ground SK5 steel, razor edge sharpen. Teflon coated. Resin taper.

**Lower Blade** precision-ground mid-carbon steel, heat-treated to S50C. Hard chrome-plated.

Overall Size & Weight 203mm; 188gms.

**Effective Opening & Cutting** 45mm; 25mm living wood.

**Body & Handle** medium sized, glass reinforced nylon handle with TRP non-slip SOFT-GRIP inserts.

**Replacement Parts** top blade, compression spring, pivot bolt assembly, buffer.

### 3103A-6 Heavy-Duty Anvil Secateurs

**Features** forward cutting design with an anvil blade system.

**Upper Blade** superior Japanese SK5 steel. Heat-treated, precision-ground (replaceable).

**Lower Blade** heat-treated duralumin anvil block.

Overall Size & Weight 210mm; 225gms.

**Effective Opening & Cutting** 45mm; 20mm. Parallelogram cantilever action.

**Body & Handle** drop-forged alloy body and handles with PVC grips. Thumb activated locking lever.

**Replacement Parts** top blade, spring, pivot bolt assembly, buffer.

### 3312-BP Mini Secateurs

**Features** professional and precision pruning, ideal for small hands.

**Upper Blade** precision-ground hi-carbon steel, razor edge sharpen. Hard chrome-plated.

**Lower Blade** mid-carbon steel, heat-treated to S50C. Hard chrome-plated.

Overall Size & Weight 180mm; 136gms.

**Effective Opening & Cutting** 40mm; 16-20mm living wood.

**Body & Handle** small sized, plastic molded handle with ergonomic fit. Thumb operated safety lock.

**Replacement Parts** compression spring, buffer.



### 7116 ByPass Heavy-Duty Loppers 600 & 750mm Lengths

**Features** exceptional strength, close proximity lopping design, low bark damage.

**Upper Blade** precision-ground Japanese SK5 steel.

**Lower Blade** drop-forged, mid-carbon, heat-treated S50C steel with resin groove.

**Overall Size & Weight** 600mm, 1.050kg or 750mm, 1.057kg.

**Effective Opening Width** 55mm max. Cuts 40mm living wood.

**Body & Handle** oval tubular heat-treated 6061-T4 alloy with comfort grips.

**Replacement Parts** top blade, lower blade, pivot bolt assembly, buffers, blade attach bolt set.

### PILJH1163P-60 Medium Duty Professional Lopper

**Features** exceptional strength, lightweight precision lopper, designed for heavy-duty professional operation.

**Upper Blade** drop-forged, precision-ground SK5 steel, razor edge sharpened.

**Lower Blade** drop-forged, mid-carbon S55C, with resin spill.

Overall Size & Weight 600mm, 905gms. Cuts 30mm max living wood.

**Body & Handle** oval heat treated 6061-T4 aluminium tubing with comfort grips. Forged alloy connecting lugs, holted

**Replacement Parts** top blade, lower blade, pivot bolt assembly, buffers, nuts & bolts.

### PILJH1160-60 ByPass Professional Loppers

**Features** lightweight precision lopper designed for fast operation [similar to P-14/16].

**Upper Blade** precision-ground Japanese SK5 steel, razor edge sharpened.

**Lower Blade** precision stamped and ground mid-carbon steel, heat-treated to S50C, with resin groove.

**Overall Size & Weight** 600mm, 920gms. Cuts 35mm living wood.

**Body & Handle** oval heat treated 'bright' hi-tensile steel tubing with comfort grips.

**Replacement Parts** top blade, pivot bolt assembly, buffers, bolt set.

### 9565-1 Folding Saw; 9575A Pruning Saw with Scabbard

**Features** super fast pruning saw. Available in either folding blade design, or fixed blade with scabbard cover including belt-hold for convenience and portability.

**Saw Blade** S55 high carbon steel, **triple-ground cutting teeth.** Rolled back-taper for reduced sticking.

Overall and Blade Size Folding Saw: 180mm (blade length); Fixed Saw: 420mm, 270mm (blade length).

**Body & Handle** durable reinforced ABS polymers. Non-slip, TRP soft-grip handle insert.

- All our Pillar Tools are proudly Made in Taiwan









## PILK-05 3'n1 Professional Blade Sharpener Tool

**Features** a carbide steel sharp-edge and guide plate for easy, convenient sharpening. Ergonomic hand fit.

**Ideal for** storing in a pocket or Apron Bag.

**Includes** lubricating oil bottle and oiling felt, conveniently housed within the handle.

**Accessories** extra oil bottle available.

### PILK-06 6'n1 Professional Multi-Tool Sharpener

Sharpens four different blade types, plus lubricates and maintains tools blades.

**Features** a carbide steel sharp-edge and guide plate. Carbide and ceramic scraper block. Safety trigger guard.

**Easy to use** ergonomic hand fit. Ideal for storing in a kitchen drawer, pocket or Apron Bag.

**Includes** lubricating oil bottle and oiling felt, conveniently housed within the handle.

**Accessories** extra oil bottle available.

# **Extreme Durability Superior Twist-Ties**

**Features** high quality, paper and wire, water resistant with smooth finish. Bundles 1000pcs.

**Paper** 6mm natural colour, laminated , hot-rolled then 'baked' for water resistance and strength.

Wire soft annealed, light and easy to twist bright steel, making it easier on the fingers. Instantly work-hardens after twisting. Individual clean-cut and finished to 125mm & 150mm lengths length.

# PILJF88-T Tape Tool New Design

**Features** high performance, lightweight Tapener Tool. Perfect for attaching plants to wire.

**Effective Strapping Depth** 90mm.

Staples Pillar 604c

**Tape** 80mm max Dia; 11.2mm width; Tubes x 25; Boxes 500.

**Guarantee** 90 days with Genuine Pillar Tape.

**Replacement Parts** Serrated Cutting Blades - Made-In-Taiwan





Enhance your team's image with your own branded apron bags.

Ask about our FREE embroidery service.





Horticultural Apron Bag and Belt, Attachments and Accessories

Designed and engineered in NZ, to meet the requirements of the Horticultural, Vine and Orchard Industries. Fully customisable – simply choose from any of the fully functional belt attachments.

New 2020 Apron Bag Features heavy duty polyester fabric and thread, fully formed rivets, larger 120mm length belt loops, two separate Velcro secured front dividers inside pouch-front, Velcro secured inner bottom wear plate, hi-visibility polyester webbing safety band, reinforced protected bottom corners, drain eyelets in the base.

Waist Belt features glass reinforced buckle, long cut-to-size 1.6m length.

### New 2020 Pruner and Lopper Scabbards

- Heavy duty Vinyl back, to hold its shape.
- Molded top-cover for integrity and looks.
- Steel strap internal lining to resist damage.

#### Water Bottle Holders 600mls & 1.5ltr:

Heavy duty Polyester fabric and stitching with vinyl stiffeners, riveted. Great for on the go hydration. Also perfect size to hold Trigger sprayer and Tape rolls.

### Fruit Picking Bag and Harness

# The Worlds Lightest and superior quality Fruit Picking Bag and Harness System®

- Exceptionally strong and easy to operate. Max loadings.
- Reinforced H.T. steel frame, holds its shape.
- Removable outer shell.

### Harness Features:

- Fully adjustable, ergonomic fit, c/w Lower Back Support
- Helps reduce Back strain.

NEED
PILLAR
ADVICE?
Check us
out on



22 Clearwater Plc, Blenheim 7201 Ph +64 (0) 21 332 221 sales@pillartools.co.nz www.pillartools.co.nz